

Page: 1
Compilation date: 06/05/2015

Revision No: 07

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: OVASAN PLUS

Product code: AF8855

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Disinfectant

1.3. Details of the supplier of the safety data sheet

Company name: Kilco (International) Ltd

Broomhouses 2 Industrial Estate

Old Glasgow Road

Lockerbie

DG11 2SD

United Kingdom

Tel: +44 (0) 157 620 5480

Email: sds@kilco.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0) 207 858 1228 (English)

+44 (0)203 394 9877 (Other)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1B: H314; Acute Tox. 4: H302; Aquatic Chronic 3: H412; -: EUH031

Most important adverse effects: Contact with acids liberates toxic gas. Harmful if swallowed. Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements:	EUH031: Contact with acids liberates toxic gas.
	H302: Harmful if swallowed.
	H314: Causes severe skin burns and eye damage.
	H412: Harmful to aquatic life with long lasting effects.
Signal words:	Danger
Hazard pictograms:	GHS05: Corrosion
	GHS07: Exclamation mark



OVASAN PLUS

Page: 2

Precautionary statements: P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301+312: IF SWALLOWED: Call a POISON CENTER/doctor/ if you feel unwell.
P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water/shower.
P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PENTAPOTASSIUM BIS (PEROXYMONOSULPHATE) BIS (SULPHATE)

EINECS	CAS	PBT / WEL	CLP Classification	Percent
274-778-7 7	70693-62-8	-	Acute Tox. 4: H302; Skin Corr. 1B: H314; Eye Dam. 1: H318; Aquatic Chronic 3: H412	10-30%

TROCLOSENE SODIUM

220-767-7	2893-78-9	-	Ox. Sol. 2: H272; Acute Tox. 4: H302;	1-10%
			Eye Irrit. 2: H319; STOT SE 3: H335;	
			Aquatic Chronic 1: H410; Aquatic Acute	
			1: H400; -: EUH031	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty swallowing. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Absorption through the lungs can occur causing symptoms similar to those of ingestion.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

OVASAN PLUS

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Do not create dust. Mark out the contaminated area with signs and prevent access to unauthorised personnel. If outside do not approach from downwind.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid the formation or spread of dust in the air. Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): The identified uses for this product are detailed in Section 1.2

OVASAN PLUS

Page: 4

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

PENTAPOTASSIUM BIS (PEROXYMONOSULPHATE) BIS (SULPHATE)

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	4mg/m3	-	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.
Respiratory protection:	Respiratory protective device with particle filter.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Solid	
Colour:	White	
Oxidising:	Non-oxidising (by EC criteria)	
Solubility in water:	Soluble	
Flammability limits %: lower:	Not applicable. upper:	Not applicable.
Flash point°C:	Not applicable. pH:	2.00 - 4.00

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

OVASAN PLUS

Page: 5

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

PENTAPOTASSIUM BIS (PEROXYMONOSULPHATE) BIS (SULPHATE)

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	500	mg/kg
VAPOURS	RAT	4H LC50	>5	mg/l

TROCLOSENE SODIUM

ORL	RAT	LD50	1420	mg/kg
ORL	RBT	LDLO	2500	mg/kg

Relevant hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty

swallowing. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Absorption through the lungs can occur causing symptoms similar to those of ingestion.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

OVASAN PLUS

Page: 6

Hazardous ingredients:

PENTAPOTASSIUM BIS (PEROXYMONOSULPHATE) BIS (SULPHATE)

DAPHNIA	48H EC50	3.5	mg/l
GREEN ALGA (Selenastrum capricornutum)	72H ErC50	>1	mg/l
SHEEPSHEAD MINNOWS (Cyprintodon variegat	48H EC50	1.09	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3260

14.2. UN proper shipping name

Shipping name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

(Contains Monopersulphate Compound)

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: |||

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

OVASAN PLUS

Page: 7

Tunnel code: E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.
	* indicates text in the SDS which has changed since the last revision.
	This safety data sheet is prepared in accordance with Commission Regulation (EC) No
	1272/2008.
Phrases used in s.2 and s.3:	EUH031: Contact with acids liberates toxic gas.
	H272: May intensify fire; oxidiser.
	H302: Harmful if swallowed.
	H314: Causes severe skin burns and eye damage.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H335: May cause respiratory irritation.
	H410: Very toxic to aquatic life with long lasting effects.
	H412: Harmful to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product. Kilco
	(International) Ltd, Registered Office: 1a Trench Road, Mallusk, Newtownabbey, BT36
	4TY. Place of Registration: Northern Ireland, Registration Number: NI3240