

**VIROGUARD** 

Page: 1

**Revision date:** 14/01/2015

Revision No: 11

#### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: VIROGUARD

Product code: AF8957

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Disinfectant

## 1.3. Details of the supplier of the safety data sheet

Company name: Kilco (International) Ltd

Broomhouses 2 Industrial Estate

Old Glasgow Road

Lockerbie DG11 2SD

United Kingdom

Tel: +44 (0) 157 620 5480

Email: sds@kilco.co.uk

## 1.4. Emergency telephone number

Emergency tel: +44 (0) 207 858 1228

## **Section 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification under CHIP: T: R45; Xn: R20/21/22; C: R34; Xi: R37; Sens.: R42/43; N: R50; Xn: R68

Classification under CLP: Acute Tox. 4: H302; Aquatic Acute 1: H400; Carc. 1B: H350; Muta. 2: H341; Resp. Sens. 1:

H334; Skin Corr. 1C: H314; Skin Sens. 1: H317; STOT SE 3: H335

Most important adverse effects: May cause cancer. Harmful by inhalation, in contact with skin and if swallowed. Causes

burns. Irritating to respiratory system. May cause sensitisation by inhalation and skin

contact. Very toxic to aquatic organisms. Possible risk of irreversible effects.

#### 2.2. Label elements

#### Label elements:

Hazard statements: H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335: May cause respiratory irritation.

H341: Suspected of causing genetic defects.

H350: May cause cancer.

H400: Very toxic to aquatic life.

**VIROGUARD** 

Page: 2

Signal words: Danger

Hazard pictograms: GHS05: Corrosion

GHS07: Exclamation mark GHS08: Health hazard GHS09: Environmental









Precautionary statements: P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301+312: IF SWALLOWED: Call a POISON CENTER/doctor/ if you feel unwell.

P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P302+352: IF ON SKIN: Wash with plenty of water/.

P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

Label elements under CHIP:

Hazard symbols: Toxic.

Dangerous for the environment.





Risk phrases: R45: May cause cancer.

R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.

R34: Causes burns.

R37: Irritating to respiratory system.

R42/43: May cause sensitisation by inhalation and skin contact.

R50: Very toxic to aquatic organisms.

R68: Possible risk of irreversible effects.

Safety phrases: S23: Do not breathe fumes.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.

S38: In case of insufficient ventilation, wear suitable respiratory equipment.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show

the label where possible).

S53: Avoid exposure - obtain special instructions before use.

S61: Avoid release to the environment. Refer to special instructions / safety data sheets.

S63: In case of accident by inhalation, remove casualty to fresh air and keep at rest.

Precautionary phrases: Restricted to professional users.

**VIROGUARD** 

Page: 3

# 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

#### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### **Hazardous ingredients:**

#### **FORMALDEHYDE**

EINECS	CAS	CHIP Classification	CLP Classification	Percent
200-001-8	50-00-0	T: R23/24/25; C: R34; Sens.: R43; T: R45; Xn: R68	Carc. 1B: H350; Muta. 2: H341; Acute Tox. 3: H301; Acute Tox. 3: H311; Acute Tox. 3: H331; Skin Corr. 1B: H314; Skin Sens. 1: H317	1-10%

#### BENZALKONIUM CHLORIDE

270-325-2	68424-85-1	Xn: R21/22; C: R34; N: R50	Skin Corr. 1C: H314; Acute Tox. 4:	1-10%
			H302+312; Aquatic Acute 1: H400	

#### **GLUTARALDEHYDE**

203-856-5	111-30-8	T: R23/25; C: R34; Sens.: R42/43;	Acute Tox. 3: H331; Acute Tox. 3: H301;	1-10%
		N: R50	Skin Corr. 1B: H314; Resp. Sens. 1:	
			H334; Skin Sens. 1: H317; Aquatic	
			Acute 1: H400	

# Section 4: First aid measures

## 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor. Do not induce vomiting. If conscious, give

half a litre of water to drink immediately.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Inhalation of fumes from

the stomach may cause symptoms similar to direct inhalation.

Inhalation: Exposure may cause coughing or wheezing. There may be irritation of the throat with a

feeling of tightness in the chest. Drowsiness or mental confusion may occur.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

**VIROGUARD** 

Page: 4

## 4.3. Indication of any immediate medical attention and special treatment needed

#### Section 5: Fire-fighting measures

## 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

## Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

Turn leaking containers leak-side up to prevent the escape of liquid. Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. Mark out

the contaminated area with signs and prevent access to unauthorised personnel. If

outside keep bystanders upwind and away from danger point.

## 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

# 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

## 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

## 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Avoid the formation or spread of mists in the air.

Ensure there is sufficient ventilation of the area. Do not handle in a confined space.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

## 7.3. Specific end use(s)

Specific end use(s): The identified uses for this product are detailed in Section 1.2

**VIROGUARD** 

Page: 5

## Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Hazardous ingredients:

#### FORMALDEHYDE...100%

#### Workplace exposure limits:

#### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	2.5 mg/m3	2.5 mg/m3	-	-

#### **GLUTARALDEHYDE**

#### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

## 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

## Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Liquid

**Colour:** Colourless **Odour:** Aldehydic

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

Flammability limits %: lower: Not applicable. upper: Not applicable.

Flash point°C: Not applicable. Relative density: 1.010 – 1.050

**pH**: 4.5 - 7.5

## 9.2. Other information

Other information: Not applicable.

# Section 10: Stability and reactivity

## 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

**VIROGUARD** 

Page: 6

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

## 10.4. Conditions to avoid

Conditions to avoid: Heat.

# 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Alkalis.

#### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

## **Hazardous ingredients:**

#### FORMALDEHYDE...100%

ORL	MUS	LD50	42	mg/kg
ORL	RAT	LD50	100	mg/kg
SCU	RAT	LD50	420	mg/kg

#### **GLUTARALDEHYDE**

ORL	MUS	LD50	100	mg/kg
ORL	RAT	LD50	134	mg/kg
SCU	RAT	LD50	>750	mg/kg
SKN	RAT	LD50	>2500	mg/kg

#### Relevant effects for mixture:

Effect	Route	Basis
Acute toxicity (harmful)	INH DRM ING	Hazardous: calculated
Irritation	INH	Hazardous: calculated
Corrosivity	OPT INH DRM	Hazardous: calculated
Sensitisation	INH DRM	Hazardous: calculated
Carcinogenicity		Hazardous: calculated

## Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Inhalation of fumes from

the stomach may cause symptoms similar to direct inhalation.

[cont...]

**VIROGUARD** 

Page: 7

Inhalation: Exposure may cause coughing or wheezing. There may be irritation of the throat with a

feeling of tightness in the chest. Drowsiness or mental confusion may occur.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

## **Section 12: Ecological information**

#### 12.1. Toxicity

# **Hazardous ingredients:**

## **BENZALKONIUM CHLORIDE**

DAPHNIA	48H EC50	0.016	ma/l
D/ (i i ii vi) (	TOI 1 L 000	0.010	1119/1

## 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

# 12.4. Mobility in soil

Mobility: Readily absorbed into soil.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

## Section 13: Disposal considerations

## 13.1. Waste treatment methods

**NB:** The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

#### 14.1. UN number

UN number: UN1760

# 14.2. UN proper shipping name

Shipping name: CORROSIVE LIQUID, N.O.S.

(BENZALKONIUM CHLORIDE; GLUTARALDEHYDE)

# 14.3. Transport hazard class(es)

Transport class: 8

# 14.4. Packing group

Packing group: III

**VIROGUARD** 

Page: 8

## 14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: Yes

## 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E
Transport category: 3

## **Section 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

## 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

#### **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

\* indicates text in the SDS which has changed since the last revision.

This safety data sheet is prepared in accordance with Commission Regulation (EC) No

1272/2008.

Phrases used in s.2 and s.3: H301: Toxic if swallowed.

H302: Harmful if swallowed.

H302+312: Harmful if swallowed or in contact with skin.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H331: Toxic if inhaled.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335: May cause respiratory irritation.

H341: Suspected of causing genetic defects <state route of exposure if it is conclusively

proven that no other routes of exposure cause the hazard>.

H350: May cause cancer <state route of exposure if it is conclusively proven that no other

routes of exposure cause the hazard>.

H400: Very toxic to aquatic life.

R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.

R21/22: Harmful in contact with skin and if swallowed.

R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.

R23/25: Toxic by inhalation and if swallowed.

VIROGUARD

Page: 9

R34: Causes burns.

R37: Irritating to respiratory system.

R42/43: May cause sensitisation by inhalation and skin contact.

R43: May cause sensitisation by skin contact.

R45: May cause cancer.

R50: Very toxic to aquatic organisms.

R68: Possible risk of irreversible effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product. Kilco

(International) Ltd, Registered Office: 1A Trench Road, Mallusk, Newtownabbey, Belfast,

BT36 4TY. Place of Registration: Northern Ireland, Registration Number: NI3240